

Figure 1






Figure 2




Figure 3

315a Database Information 400 Cable 120 Administrative weight - 405a Port #1 ID - 410a Port #2 ID - 415a Conduit ID - 420a Cable 125 Administrative weight - 405b Port #1 ID - 410b Port #2 ID - 415b Conduit ID - 420b Cable 130 Administrative weight - 405c Port #1 ID - 410c Port #2 ID - 415c Conduit ID - 420c Cable\_135 Administrative weight - 405d Port #1 ID - 410d Port #2 ID - 415d Conduit ID - 420d Cable 140 Administrative weight - 405e Port #1 ID - 410e Port #2 ID - 415e Conduit ID - 420e

Figure 4






Figure 5






Figure 6




Figure 7




Figure 8





Figure 9a






Figure 10

```
315
4
Database
Cable 1031
Administrative weight - 405f
Port #1 ID - 410f
Port #2 ID - 415f
Conduit ID - 420f
Row ID - 422f
Cable 1035
Administrative weight - 405g
Port #1 ID - 410g
Port #2 ID - 415g
Conduit ID - 420g
          - 422g
Row ID
Cable 1040
Administrative weight - 405h
Port #1 ID - 410h
Port #2 ID - 415h
Conduit ID - 420h
Row ID
          - 422h
```

Figure 11




Figure 12a




Figure 12b